

AMENDMENTS

Please enter the following amendments:

In the Claims

1. (Original) An identification service system for providing information to a user, said identification service system comprising:

a first identification device having a locator and a transmitter, said locator being configured to facilitate determining a location of said first identification device, said first identification device being further configured to store identification information, said identification information corresponding to a first user, said transmitter being configured to transmit information associated with the location of said first identification device and identification information corresponding to the first user to a services system such that the services system provides information to the first user via said first identification device based, at least in part, on the location of said first identification device.

2. (Original) The identification service system of claim 1, further comprising:

a services system configured to communicate with said first identification device, said services system being further configured to receive information associated with the location of said first identification device and identification information corresponding to the first user such that, in response thereto, said services system provides information to the first user based, at least in part, on the location of said first identification device.

3. (Original) The identification service system of claim 2, further comprising:

an image-capturing device configured to communicate with said services system such that, in response to information received by said services system, said image-capturing device captures image data corresponding to the location of said first identification device.

4. (Original) The identification service system of claim 3, further comprising:

a display device configured to communicate with said services system such that said display device displays captured image data corresponding to the location of said first identification device to the first user.

5. (Original) The identification service system of claim 3, further comprising:

means for displaying captured image data corresponding to the location of said first identification device to the first user.

6. (Original) The identification service system of claim 3, further comprising:

a second identification device configured to communicate with said services system, said second identification device having a locator and a transmitter, said locator being configured to facilitate determining a location of said second identification device, said second identification device being further configured to store identification information, said identification information corresponding to a second user, said transmitter being configured to transmit information associated with the location of said second identification device and identification information corresponding to the second user to said services system such that said service interaction system provides information to the second user based, at least in part, on the location of said second identification device; and

wherein said image-capturing device is configured to simultaneously capture image data corresponding to the location of said first identification device and said second identification device.

7. (Original) The identification service system of claim 2, wherein said services system includes a locating system, said locating system being configured to receive information associated with the location of said first identification device and identification information corresponding to the first user and, in response thereto, store information corresponding to the location of the first user.

8. – 9. (Canceled)

10. (Original) The identification service system of claim 2, wherein said services system includes a photo system, said photo system being configured to receive a request for acquiring image data from a user and, in response thereto, determine the location of the user and enable an image-capturing device to acquire image data corresponding to the location of the user.

11. (Original) The identification service system of claim 10, wherein said photo system receives said request for acquiring image data via said first identification device.

12. (Original) The identification service system of claim 10, wherein said photo system is configured to automatically determine the location of the user and automatically enable an image-capturing device to acquire image data corresponding to the location of the user when the location of the user corresponds to an area associated with the image-capturing device.

13. – 14. (Canceled)

15. (Original) The identification service system of claim 2, wherein said services system includes a routing system, said routing system being configured to receive a request for routing from a first location to a second location from the first user and, in response thereto, determine the location of the user and access of the user, and provide the first user with information corresponding to a proposed route for the first user to travel from the location of the user to the second location, the information being based, at least in part, on the access of the user.

16. (Original) The identification service system of claim 15, wherein said routing system is configured to provide the first user with an alert via said first identification device if said routing system determines that the first user is not travelling along the proposed route.

17. – 18. (Canceled)

19. (Original) The identification service system of claim 2, wherein said services system includes a credit system, said credit system being configured to receive a request to access a credit account of the first user, determine whether the request is from the first user, and if the request is not from the first user, deny access to the credit account of the first user.

20. (Original) The identification service system of claim 2, wherein said services system includes an emergency response system, said emergency response system being configured to receive a request from the first user via said first identification device, determine the location of the first user, and provide an emergency response to the location of the first user.

21. (Original) An image-capturing device comprising:

a first image-capturing component configured to capture image data corresponding to a first location; and

a second image-capturing component arranged adjacent to said first image-capturing component, said second image-capturing component being configured to capture image data corresponding to a second location, the first location being different from the second location;

said first and second image-capturing devices being configured to simultaneously capture image data corresponding to the first and second locations.

22. (Newly Added) The image-capturing device of claim 21, wherein the image capturing device is operative to receive information corresponding to a location of a first user such that, when the location of the first user corresponds to the first location, the first image-capturing component automatically captures image data corresponding to the first user at the first location.

23. (Newly Added) The image-capturing device of claim 21, wherein the first image-capturing component is operative to capture image data in response to an input provided by a first user.

24. (Newly Added) The image-capturing device of claim 21, wherein the first image-capturing component is operative to acquire real-time video images.

25. (Newly Added) The image-capturing device of claim 24, wherein the second image-capturing component is operative to acquire still images.